







## Pricelist 26

## Air Control

Device	Description	Part Number	Price
<b>AirGate 2.0</b> (Ab-&Zuluft)	Variable Ventilation Control Unit incl. measurement of air temperature, humidity, quality and volume for installation in a manifold box. Airflow can come from either the pipe or the manifold box (reverse). All necessary connection cables and adapters are included in the price.	<b>AGE-0902</b>	<b>185.-</b>
			
<b>AirGate CO<sub>2</sub></b> (Ab-&Zuluft)	Variable Ventilation Control Unit incl. measurement of air and volume for installation in a manifold box. Airflow can come from either the pipe or the manifold box (reverse). All necessary connection cables and adapters are included in the price (available from Jan 2027).	<b>AGE-0903</b>	<b>289.-</b>
			
<b>AirGate Duct</b> (Ab-&Zuluft)	Variable measuring unit for insertion into the ventilation pipe. All necessary connection cables and adapters are included in the price. Measures temperature, humidity, quality and CO <sub>2</sub> (optional).	<b>AirGate Duct</b> <b>AirGate Duct CO<sub>2</sub></b>	<b>AGE-1001</b> <b>AGE-1003</b> <b>165.-</b> <b>253.-</b>
			
<b>Kabel</b>	Connection cable for AirGates, RJ12 connectors on both sides. - 0.3 m (included as standard with every AirGate). - 0.5 m - 1.0 m - 2.0 m	<b>CAB-0003</b> <b>CAB-0005</b> <b>CAB-0010</b> <b>CAB-0020</b>	<b>14.-</b> <b>16.-</b> <b>20.-</b> <b>26.-</b>
			
<b>FlatMaster incl. PowerSupply</b>	Unit for connecting and powering up to 20 SAGB devices and 2-3 ModBus units. Connection of multiple residential units via Ethernet. Includes 24 VDC power supply (110-240V AC) for installation in electrical distribution box. Includes MCU and configuration.	<b>FlatMaster 24 incl. PSF-0036</b>	<b>FMC-PS36</b> <b>638.-</b>
			

**TempGate S** Energy distributor consisting of individual continuous actuators, flow, and return with control unit, for heating or cooling with 2-12 outputs for continuous control. Available without or with energy and flow measurement. For direct connection to a FlatMaster 24.



	mit	Temperatur- Messung	mit	Energiezähler
Typ	Artikel	CHF	Artikel	CHF
TempGate SL2	TMP-0201	495	TMP-0200	845
TempGate SL3	TMP-0301	678	TMP-0300	1'028
TempGate SL4	TMP-0401	708	TMP-0400	1'058
TempGate SL5	TMP-0501	849	TMP-0500	1'199
TempGate SL6	TMP-0601	992	TMP-0600	1'342
TempGate SL7	TMP-0701	1'122	TMP-0700	1'472
TempGate SL8	TMP-0801	1'264	TMP-0800	1'614
TempGate SL9	TMP-0901	1'439	TMP-0900	1'789
TempGate SL10	TMP-1001	1'546	TMP-1000	1'896
TempGate SL11	TMP-1101	1'688	TMP-1100	2'038
TempGate SL12	TMP-1201	1'830	TMP-1200	2'180

### TempGate Actuator

Individual TempGate actuator unit.

**TMP-0001**

**154.-**



### Energie-messung

Certified flow and energy measurement. For direct connection to a FlatMaster 24. Can be combined with any TMP-xx00. Ultrasound technology, including temperature sensor and installation kit.

**FLE-0122**

**450.-**






### Anschluss-Box

Connection board for integrating TempGate and energy meter into a single cable.

**ASB-0000**

**50.-**

Device	Description	Part Number	Price
<b>RoomMaster COM</b> 	Display unit for measuring temperature, humidity, and air quality with ModBus communication. Allows the display and adjustment of temperature and ventilation values for all rooms. Powered by FlatMaster. Includes flush-mount installation frame.		
	<b>RoomMaster COM</b>	<b>RMC-0002</b>	<b>370.-</b>
<b>RoomSensor</b> 	This sensor unit is designed for installation in rooms that do not have planned exhaust ventilation systems. It measures temperature, humidity, and air quality. It also has an optional CO2 sensor. It receives its power from the FlatMaster. A mounting frame for flush-mount installation is included.		
	<b>RoomSensor</b>	<b>RSC-0001</b>	<b>154.-</b>
	<b>RoomSensor mit CO<sub>2</sub> Fühler</b>	<b>RSC-0201</b>	<b>242.-</b>
<b>FlatMaster incl. PowerSupply</b> 	Unit for connecting and powering up to 20 SAGB devices and 2-3 ModBus units. Connection of multiple residential units via Ethernet. Includes 24 VDC power supply (110-240V AC) for installation in electrical distribution box. Includes MCU and configuration.		
	<b>FlatMaster 24 incl. PSF-0036</b>	<b>FMC-PS36</b>	<b>638.-</b>

Device	Description	Part Number	Price	
<b>FlatMaster</b> 	This unit connects to and powers up to 20 SAGB devices and 2 to 3 ModBus units. It allows you to connect multiple apartment units through an Ethernet connection. It comes with an MCU (Microcontroller Unit) and configuration settings.	<b>FlatMaster 24</b>	<b>FMC-0001</b>	<b>585.-</b>
<b>SystemMaster</b> 	This unit connects to and powers up to 20 SAGB devices and 2 to 3 ModBus units. It allows you to connect multiple apartment units through an Ethernet connection. It comes with an MCU (Microcontroller Unit) and configuration settings.	<b>SystemMaster 24</b>	<b>SMA-0001</b>	<b>612.-</b>
<b>PowerSupply System</b> 	24 VDC power supply (110-240V AC input) for SystemMaster 24, for DIN rail mounting in a control cabinet, supports up to 30 devices.	<b>PowerSupply 24-30 (35.0mm)</b>	<b>PSS-0036</b>	<b>48.-</b>
<b>Signal Adapter</b> 	Interface devices for connecting external signals to a Flatmaster 24 via Modbus. DIN rail or cable entry mounting.	<b>Adapter 0-10V Output</b>	<b>SAA-0001</b>	<b>250.-</b>
		<b>Adapter Relais Output</b>	<b>SAR-0001</b>	<b>253.-</b>
		<b>Adapter Digital-Input</b>	<b>SAD-0001</b>	<b>250.-</b>
<b>SAGB-Klemmen-Adapter</b> 	Adapter for converting installation cable to modular cable with RJ12 connector.	<b>SAGB terminal block adapter for DIN rail.</b>	<b>SKA-0001</b>	<b>27.-</b>
		<b>SAGB terminal block adapter for cable mounting.</b>	<b>SKA-0002</b>	<b>24.-</b>